




InfraBuild
Building futures through sustainable steel



Pollution Incident Response Management Plan

**Newcastle Rod Mill
Annex 1**



Annex 1 – Publicly available Information

This Annex has been prepared for the purposes of online publication of requirements relating to the site Pollution Incident Response Management Plan. It contains a direct reproduction of content drawn from the Pollution Incident Response Management Plan though has been modified to exclude personal information within the meaning of the Privacy and Personal Information Act 1998.

Contacting Relevant Authorities to Notify a Pollution Incident

Only complete Step 1 followed by Step 2 if there is an immediate threat to human health or property. If not, complete Step 2 only. All agencies in Step 2 must be contacted, regardless of incident type. For example, Fire and Rescue must be contacted even if there is no fire.

Step 1

Notification Record				
External Body	Phone Contact Details	Time/Date (of notification)	Name (Person notified)	Initial Advice / Comment
1. Emergency Services (Fire and Rescue, Police, Ambulance Services)	000 Only call 000 first if there is an immediate threat to human health or property			

Step 2 – Proceed with the following notifications in the order provided

2. EPA	131 555			
3. The Ministry of Health (via the local public health unit)	02 4924 6477 (diverts to John Hunter Hospital) Ask for Public Health Office on call.			
4. Safe Work NSW	13 10 50			
5. The Local Authority (Newcastle City Council)	4974 2000			
6. Fire and Rescue NSW	1300 729 579			
7. InfraBuild Site Security	4935 4999			

Communicating with neighbours and the Community

The occurrence of a pollution incident does not automatically trigger the need for neighbour or community notification. An assessment of the need to notify must be made based on the specific circumstances of the pollution incident, considering.

- Pollutant type.
- Prevailing winds.
- Height and magnitude of any emission.
- Direction of stormwater/tidal flow.
- Predicted fall-out locations, and
- Possible impacts to potential receptors

Potential pollution incidents which may trigger notification to neighbours and/or community and circumstances that may increase the potential impact to environment or human health are detailed in table 1.

Notification of Immediate Neighbours (<500m)

Implement this section where a need to notify has been determined and:

- potential effects of the pollution incident are localised to immediate site neighbours; or
- potential effects of the pollution incident are widespread and applicable to the general community.

The site is situated adjacent to the Hunter River at the north end of Ingall Street in Mayfield. There are no residential receptors or sensitive premise uses (such as schools or hospitals) within a five hundred metre radius of the site.

Table 3 lists nearby land uses which lie within a nominal five hundred metre radius of the site. In the event of a pollution incident occurring, consideration needs to be given to notifying the premise occupiers where it is deemed that the pollution incident may pose those premises or the occupiers at risk. Any notification made should seek to provide where possible detail regarding any possible controls that may assist such as closing windows and doors.

Table 3 – Land uses with a 500m radius of the site

Direction	Occupier	Contact Details
North	Newcastle Coal Infrastructure Group (Grey coloured Coal Loader)	1800 016 304
Northeast	Hunter River - Newcastle Port Corporation	1800 048 205
	Port Waratah Coal Services (Yellow coloured Coal Loader)	4907 2361
East	Hunter River - Newcastle Port Corporation	49293890
	Stolthaven Australia Pty Ltd	0498 762 177
	Fuel Farm (Stolthaven Terminals)	0416 018 511
Southeast	Vacant Land – Hunter Development Corporation	0249042750
	Vacant Land – Newcastle Port Corporation	1800 048 205
	Industrial Channel - Newcastle Port Corporation	1800 048 205
South	InfraBuild Mayfield (including Wire, Contistretch and Industrial Park)	Ingall St Security 4935 4999 Contistretch: 0447991503
	Industrial Channel - Newcastle Port Corporation	1800 048 205
	Mayfield East Public School	4968 1495
Southwest	ATM Newcastle	ATM Security 4935 5739
West	InfraBuild NDC	Ingall St Security 4935 4999 43354722
Northwest	Hunter River - Newcastle Port Corporation	1800 048 205
	InfraBuild NDC	Ingall St Security 4935 4999 43354722

Notification of Community

Implement this section where a need to notify has been determined and potential effects of the pollution incident are widespread and applicable to the general community.

InfraBuild has determined that the method to be deployed for the notification of the local community where required is the Emergency Alert system described in the 'The City of Newcastle – Newcastle Local Disaster Plan (Displan) (2012)'.

Operation of the Emergency Alert system is managed by the local combat agency controller. Other methods of community notification may also be employed based upon an assessment of the circumstances by the combat agency controller.

InfraBuild has an obligation to identify relevant pollution incidents to the combat agency controller where those incidents pose, or may pose, an environment impact to the local community.



InfraBuild
Building futures through sustainable steel

InfraBuild Wire

Ingall Street
Mayfield NSW 2304
Australia

Phone 02 4935 5555

A.H. 02 49354495

Environment@InfraBuild.com

www.InfraBuild.com

